

---

# **clusterduster Documentation**

***Release v1.3***

**Kostya Dubinin**

October 08, 2012



# CONTENTS

<b>1</b>	<b>Logging</b>	<b>3</b>
<b>2</b>	<b>Some changes to the conf.py</b>	<b>5</b>
<b>3</b>	<b>Indices and tables</b>	<b>7</b>



**Date** October 08, 2012

Here I put some useful information about clusterduster application including description of the source, documenting system, configuring etc.

Contents:



# LOGGING

Recommended logging usage pattern:

```
import logging
```

```
logging.basicConfig(format='%(levelname)s: %(message)s', level=logging.INFO)  
logging.debug('sys.path: %s', sys.path)
```

You can see such a pattern usage in various source files. Please consider using existing logging entries in that files instead of creating your own.





## SOME CHANGES TO THE CONF.PY

To get sphinx autodoc work I add to the conf.py a path to the project directory and a path to the GAE SDK which contain some required libraries:

```
# todo: Please specify 'gae_path' below (a path to the google app  
# engine SDK directory)  
  
gae_path = '~/google_appengine'  
  
gae_path = os.path.expanduser(gae_path)  
sys.path.insert(0, os.path.abspath('../'))  
sys.path.insert(0, os.path.abspath(gae_path))  
sys.path.insert(0, os.path.abspath(os.path.join(gae_path, 'lib/yaml/lib')))  
sys.path.insert(0, os.path.abspath(os.path.join(gae_path, 'lib/webapp2')))  
sys.path.insert(0, os.path.abspath(os.path.join(gae_path, 'lib/webob_1_1_1')))  
logging.debug('sys.path: %s', sys.path)
```



# INDICES AND TABLES

- *genindex*
- *modindex*
- *search*